

# Stablemate™

CLEAN. SANITISE. PROTECT.

## Dis-In-Fect

Proven Biosecurity Assistance for the Animal Environment.

Effervescent chlorine tablets providing a cost-effective disinfectant with high dilution rates, accurate dosing and long shelf life.

DEFRA Approved and validated to be effective against Foot and Mouth, Swine Vesicular Disease, Avian Influenza, bacteria, mycobacteria, spores and fungi.

The BHSS, STEPS leaflet available from [bhsscotland.org.uk](http://bhsscotland.org.uk) gives general guidance on hygiene and isolation procedures for Strangles/ Suspected Strangles cases and advises that cleaning requires "a disinfectant approved by Defra for general purpose under the Diseases of Animals (Disinfectants) Order 1978".

- **Versatile** for daily routine disinfection use in all livestock facilities, stables, kennels, markets, holding pens, transport and veterinary.
- **Long shelf life**, up to 5 years, waste from discarding unused out of date product should be eliminated.
- **Easy to handle and dose accurately** by simply adding a tablet to the specified volume of water for the required application, see the tables below.
- **Cost effective** with considerable savings over other disinfectant systems.



### Dilution rates:

Dis-In-Fect is DEFRA approved for general orders at a dilution rate of **1 Dis-In-Fect tablet to 1.7 litres of water or 3 tablets in 5 litres.**

Independent testing commissioned by AGMA Limited has scientifically proven that Dis-In-Fect is effective against both **Strangles** and **Ringworm** at the following dilution rates:



#### Strangles:

Add **1 Dis-In-Fect tablet** to **0.9 litres** of water or **6 tablets** in **5 litres.**



#### Ringworm:

Add **2 Dis-In-Fect tablets** to **0.9 litres** of water or **12 tablets** in **5 litres.**

# Stablemate™

CLEAN. SANITISE. PROTECT.

**Important!** The fact that many disinfectants are deactivated by organic matter means that cleaning with a detergent prior to using the disinfectant is a very important stage of the disinfecting process. It is therefore recommended that prior to using Stablemate Dis-In-Fect that a detergent clean is performed. Stablemate cleaning products **Cleanse** or **Boxfresh** are ideal.

| Dilution table: Stablemate Dis-In-Fect 4.72g (2.5g NaDCC) Tablets |                                     |  |
|---|-------------------------------------|--|
| 1 tablet in   | Gives available chlorine of...      | Typical uses                                   |
| <b>Poultry</b>  |                                     |  |
| 525 - 400 Litres  | 3 - 4 ppm for clean water           | Drinking Water Disinfection                    |
| 300 - 150 Litres  | 5 - 10 ppm for slight contamination | Drinking Water Disinfection                    |
| 1.5 Litres  | 1000 ppm                            | Foot baths                                     |
| 1.5 Litres  | 1000 ppm                            | Vehicles                                       |
| 3 Litres  | 500 ppm                             | Entrance to Poultry Houses                     |
| 15 Litres   | 100 ppm                             | Hand Washing                                   |
| <b>Cattle and Pigs</b>  |                                     |  |
| 150 Litres  | 10 ppm                              | Drinking Water Disinfection                    |
| 2.5 Litres  | 630 ppm                             | Disinfection of animal housing floors and pens |
| 1.75 Litres   | 900 ppm                             | Bedding  |
| 2.5 Litres  | 630 ppm                             | Surfaces and Walkways                          |
| 5.25 Litres   | 300 ppm                             | Equipment                                      |
| 2.5 Litres  | 630 ppm                             | Footwear Baths                                 |

- Drop AGMA Stablemate Dis-In-Fect tablets into the recommended amount of water, preferably warm (40°C) to provide the recommended amount of available chlorine. Warm water assists the process of disinfection and also speeds up the tablet dissolution time.
- Thoroughly wet the cleaned surface with the disinfection solution by the most suitable means i.e. trigger spray or disposable cloth.
- Check the solution strength weekly using test strips. Repeat addition when strength drops below the recommended amount of available chlorine.

| Defra Approved statutory use and dilution rates  | 1 g added to the quantity of water below | Equates to one 4.72g tablet in the quantity of water below |
|--|--|--|
| (i) Foot & Mouth Disease Orders  | 424 ml                                   | 2 litres   |
| (ii) Swine Vesicular Disease Orders  | 317 ml                                   | 1.5 litres   |
| (iii) Diseases of Poultry Order and the Avian Influenza and Influenza of Avian Origin in Mammals Order | 490 ml                                   | 2.2 litres   |
| (iv) Tuberculosis Orders   | 12 ml                                    | 0.05 litres  |
| (v) General Orders   | 360 ml                                   | 1.7 litres   |

Use Biocides Safely. Always read the label and product information.

## AGMA

AGMA Limited, Gemini Works, Haltwhistle, Northumberland, NE49 9HA  
 T: +44 1434 320598 E: enquiries@stablemateagma.com  
 stablemateagma.com



BY APPOINTMENT TO  
 HER MAJESTY THE QUEEN  
 MANUFACTURERS OF CLEANING & HYGIENE PRODUCTS  
 AGMA LTD  
 HALTWHISTLE NORTHUMBERLAND